TENDER NO.( )
Schedule of Specifications , Quantities, and Prices
For :
VALVES

GROUP: A

Item No.	Description	U. I	QTY	W/o Customs & Taxes RISHA STORE	
				Unit Price	Total Price
1	Ball valve size 6" class 300 R.F Flange, full port , ball: SS316 Seat: H-PTFE Body: Carbon steel WCB Hand lever operation c/w bolts,nuts,gasket type: TK, WKM, kitz	E.A	10		
2	Globe valve size 4" class 300 R.F Flange, full port , Trim: 316 SS Body: Carbon steel WCB c/w bolts,nuts,gasket type: TK, WKM, kitz	E.A	10		
3	Ball valve size 4" class 300 R.F Flange, full port , ball: SS316 Seat: H-PTFE Body: Carbon steel WCB Hand lever operation c/w bolts,nuts,gasket type: TK, WKM, kitz	E.A	10		
4	Ball valve size 2" class 300 R.F Flange, full port , ball: SS316 Body: Forged steel Hand lever operation c/w bolts,nuts,gasket type: TK, WKM, kitz	E.A	40		

5	Globe valve size 2" class 300 R.F Flange, full port , Trim: 316 SS Body: Forged Steel Hand lever operation c/w bolts,nuts,gasket type: TK, WKM, kitz	E.A	10		
6	Ball valve size 10" class 300 R.F Flange, full port , ball: SS316 Seat: H-PTFE Body: Carbon steel WCB Hand lever operation c/w bolts,nuts,gasket type: TK, WKM, kitz	E.A	6		
7	Ball valve size 8" class 300 R.F Flange, full port , ball: SS316 Seat: H-PTFE Body: Carbon steel WCB Hand lever operation c/w bolts,nuts,gasket type: TK, WKM, kitz	E.A	8		
8	Swing Check valve Size:6" Class 300,body: WCB, Trim: 316	E.A	10		
9	Swing Check valve Size:4" Class 300,body: WCB, Trim: 316	E.A	10		
10	Swing Check valve Size:2" Class 300,body: WCB, Trim: 316	E.A	10		
				TOTAL	

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
BIDDER,NAME:.....

TENDER NO.( )

Schedule of Specifications , Quantities, and Prices

For :

THREADOLET& WELDOLET

ASTM A105, ASME B16.11

Group: B **Page:1**

Item No.	Description	U. I	QTY	W/o Customs & Taxes RISHA STORE	
				Unit Price	Total Price
1	Threadolet ½"x4" sch80	E.A	20		
2	Threadolet ½"x6" sch80	E.A	20		
3	Threadolet ½"x8" sch80	E.A	10		
4	Threadolet 2"x4" sch80	E.A	10		
5	Threadolet 2"x6" sch80	E.A	10		
6	Threadolet 3/4"x4" sch80	E.A	20		
7	Threadolet 3/4"x6" sch80	E.A	20		
8	Weldolet 6"x10" sch80	E.A	5		
9	Weldolet 6"x4" sch80	E.A	5		
10	Weldolet 8"x10" sch80	E.A	2		
				TOTAL	

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
BIDDER,NAME:.....

TENDER NO.( )

Schedule of Specifications , Quantities, and Prices

For :

Carbon Steel Flange

ASTM A105N,ASME B 16.5

Group: C

Item No.	Description	U. I	QTY	W/o Customs & Taxes RISHA STORE	
				Unit Price	Total Price
1	Weld nick Flange size:8" class300,SCH 80	E.A	20		
2	Weld nick Flange size:6" class300, SCH 80	E.A	20		
3	Weld nick Flange size:4" class300 SCH 80	E.A	30		
4	Weld nick Flange size:2" class300 SCH 80	E.A	100		
5	Blind flange size 4" class300	E.A	5		
6	Blind flange size 6" class300	E.A	5		
7	Weld nick Flange size:2" class1500 SCH 160	E.A	20		
8	Weld nick Flange size:3" class1500 SCH 160	E.A	20		
9	Weld nick Flange size:6" class 600 SCH 80	E.A	20		
10	Weld nick Flange size:10" class300 SCH 80	E.A	20		
				TOTAL	

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
BIDDER,NAME:.....

TENDER NO.( )

Schedule of Specifications , Quantities, and Prices

For :

ELBOW&TEE

ASTM A 234 WPB, ASME B 16.9

Group: D

Item No.	Description	U. I	QTY	W/o Customs & Taxes RISHA STORE	
				Unit Price	Total Price
1	Elbow 2" 90deg sch 80, LR	E.A	100		
2	Elbow4" 90deg sch 80 LR	E.A	20		
3	Elbow 6" 90deg sch 80 LR	E.A	20		
4	Elbow 3" 90deg sch 160 LR	E.A	40		
5	Elbow 3" 45deg sch 160 LR	E.A	40		
6	Tee 2x2x2 sch 80	E.A	20		
7	Tee 4x4x4 sch 80	E.A	20		
8	Tee 4x4x4 sch 80	E.A	20		
9	Tee 6x6x6 sch 80	E.A	20		
10	Elbow 10" 90deg sch 80 LR	E.A	10		
11	Elbow 10" 45deg sch 80 LR	E.A	10		
12	Elbow 8" 90deg sch 80 LR	E.A	10		
13	Elbow 8" 45 deg sch 80 LR	E.A	10		
				TOTAL	

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
BIDDER,NAME:.....

Tender NO.( )
Schedule of Specifications , Quantities, and Prices
For :
REDUCER&GASKET

ASTM A 234 WPB

Group: E

Item No.	Description	U. I	QTY	W/o Customs & Taxes RISHA STORE	
				Unit Price	Total Price
1	C.S Reducer 4x2 sch 80, Concentric	E.A	10		
2	C.S Reducer 4x6 sch 80, Concentric	E.A	10		
3	C.S Reducer 3x2 sch 160, Concentric	E.A	10		
3	Flex gasket 2" class 300, SS 316 winding graphite filler, ss 316 outer &ring	E.A	100		
4	Flex gasket 4" class 300 ,SS 316 winding graphite filler, ss 316 outer &ring	E.A	100		
5	Flex gasket 6" class 300, SS 316 winding graphite filler, ss 316 outer &ring	E.A	20		
6	Flex gasket 8" class 300, SS 316 winding graphite filler, ss 316 outer &ring	E.A	10		
7	C.S Reducer 3x4 sch 160, Concentric	E.A	10		
8	C.S Reducer 2x6 sch 80, Concentric	E.A	10		
				TOTAL	

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
BIDDER,NAME:.....

Schedule of Specifications , Quantities, and Prices

For :

STUD BOLTS&NUTS

Cadmium plating or zinc-nickel coating

Group: F **Page: 1/1**

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORE	
				Unit Price	Total Price
1	Stud Bolts CAD. Plated SA193-B7 1 1/8" Dia. X 7" long	E.A	200		
	1 3/8" Dia. X 11" long	E.A	200		
	1 5/8" Dia. X 15" long	E.A	200		
	1 1/4" Dia. X 8 1/2" long	E.A	200		
	1/2" Dia. X 4" long	E.A	200		
	5/8" Dia. X 4" long	E.A	200		
	3/4" Dia. X 6" long	E.A	200		
	7/8" Dia. X 6 1/2" long	E.A	200		
	1" Dia. X6 1/2" long	E.A	200		
2	HEX NUTS CAD.PLATED SA194-2H	E.A	400		
	- 1 1/8	E.A	400		
	- 1 ¼	E.A	400		
	- 1 3/8	E.A	400		
	- 1 5/8	E.A	400		
	- ½"	E.A	400		
	- 5/8"	E.A	400		
	- ¾"	E.A	400		
	- 7/8"	E.A	400		
	- 1"				
				TOTAL	

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:…..……
BIDDER,NAME:…….

Tender NO.( )

Schedule of Specifications , Quantities, and Prices

For :

Seamless CAPS Carbon Steel

ASTM A234 WPB

Group: G

Item No.	Description	U. I	QTY	W/o Customs & Taxes RISHA STORE	
				Unit Price	Total Price
1	Caps carbon steel size 20" thickness 1"	E.A	10		
2	Caps carbon steel size 28" thickness 1"	E.A	10		
3	Caps carbon steel size 36" thickness 1"	E.A	20		
				TOTAL	

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
BIDDER,NAME:.....

Schedule of Specifications , Quantities, and Prices

For :

ITT Barton

Group: H **Page: 1/1**

Item NO.	Description	U.I	QTY	W/o Customs & Taxes Risha stores	
				Unit Price	Total Price
1	Complete ITT Barton model 202E 3pen recorder with following spec.: • 0-100" water column • 0-3200 psig bourdon tube. • 0-150 F temperature element c/w10 feet capillary. • 12" chart programmable batterychartdrive • Slide on disposable pens. • 20 box of charts • 5 way manifold-century model CM5. • 2" saddle mount	E.A	10		
				TOTAL	

CURRENCY:

DELIVERY PERIOD:

METHOD OF PAYMENT:

ORIGIN OF GOODS:

SIGNATURE:.....

BIDDER,NAME:.....

Schedule of Specifications , Quantities, and Prices

For :

Fisher Equipment's

Group: I

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORS	
				Unit Price	Total Price
1	Fisher regulator type 67 AFR	E.A	10		
3	High pressure regulator fisher type 1301F	E.A	10		
4	Liquid level control type:L2 Max supply pressure: 50 psi Max.sensor cold working :3750 ASME CL1500 for 2" NPT STYL connection Type: FSL2-XB	E.A	10		
5	Comp. panel mounting loading Type: 670 GV S/N: 1433604 2 gauge panel with change over valve	E.A	10		
6	Output gauge 0-30 psi for fisher type 3582 #11B4040X042	E.A	10		

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORE	
				Unit Price	Total Price
7	Fisher control valve A-ACTUATOR: TYPE: 667 SIZE: 45 BENCH SET: 14-30psi TRAVEL: 1 1/2 OPERATING RANGE: 6-30 psi B-BODY: TYPE: HPT SIZE: 2" PORT SIZE: 1 7/8" RATING: CL900/2250 PSI CWP PLUG: SST STEM: SST BODY: STL SEAT: SST COMPLETE WITH 67AFR REGULATOR & FISHER TYPE 3582I POSITIONER	E.A	7		
8	Fisher control valve A-ACTUATOR:	E.A	3		

	TYPE: 667 SIZE:70 BENCH SET:3-15psi TRAVEL: 3 1/2 OPERATING RANGE: 3-15psi B-BODY: TYPE: HPT SIZE: 4" PORT SIZE: 3 7/8" RATING: CL1500/3750PSI CWP PLUG: SST STEM: SST BODY: STL SEAT: SST COMPLETE WITH 67AFR REGULATOR & FISHER TYPE 3582I POSITIONER				

TOTAL	

CURRENCY:

DELIVERY PERIOD:

METHOD OF PAYMENT:

ORIGIN OF GOODS

Schedule of Specifications , Quantities, and Prices

For :

DRY PRESURE & TEMPRETURE GAUGE

Group: J **Page: 1/1**

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORS	
				Unit Price	Total Price
1	Pressure gauge range: 0-1000 psi 1/2" bottom connection, 6" face wika or Ashcroft	E.A	50		
2	Pressure gauge range: 0-5000 psi 1/2" bottom connection, 6" face wika or Ashcroft	E.A	50		
3	Pressure gauge range: 0-3000 psi 1/2" bottom connection, 6" face wika or Ashcroft	E.A	50		
4	Temperature gauges range: 0-200 c bottom connection, 6" face ,steam length :4" Complete with thermowell size ¾" wika or Ashcroft	E.A	20		
			TOTAL		

CURRENCY:

DELIVERY PERIOD:

METHOD OF PAYMENT:

ORIGIN OF GOODS:

SIGNATURE:.....

BIDDER,NAME:.....

Schedule of Specifications , Quantities, and Prices

For :

Pressure controller

Group: K **Page: 1/1**

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORS	
				Unit Price	Total Price
1	Complete Pneumatic indicating controller 43AP-FA46D Control mode: proportional+integral(reset) 0.01 to 50 Output sibnal : 0.2 to 1.0 bar Internal transfer switch: 2 position Element type: gauge pressure element Gauge pressure element type: helical,material: 316 ss, Range 0-200 to 0-6000psi Scale:0-1300 psi c/w fisher 67 CFR RAND : FOXORO or Automation Service AS	E.A	15		
5	Control unit # C0136HV	E.A	10		
				TOTAL	

CURRENCY:

DELIVERY PERIOD:

METHOD OF PAYMENT:

ORIGIN OF GOODS:

SIGNATURE:.....

BIDDER,NAME:.....

Schedule of Specifications , Quantities, and Prices

For :

SAFETY VALVE

EMERSON COMPANY

Group: L **Page: 1/1**

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORS	
				Unit Price	Total Price
1	Pressure safety valve p/n: 8312J23/N sn: 88/13094 set pressure: 1440 psig Anderson greenwood	E.A	10		
				TOTAL	

CURRENCY:

DELIVERY PERIOD:

METHOD OF PAYMENT:

ORIGIN OF GOODS:

SIGNATURE:.....

BIDDER,NAME:.....

Schedule of Specifications , Quantities, and Prices

For :

CENTURY VALVE

Group: M **Page: 1/1**

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORS	
				Unit Price	Total Price
1	CM5-1-F-44-CD-T	E.A	10		
2	CM2-1-M44T-BA	E.A	20		
3	CM26R-1M64T-A-T	E.A	20		
4	CM2-1-F22T-BV	E.A	20		
				TOTAL	

CURRENCY:

DELIVERY PERIOD:

METHOD OF PAYMENT:

ORIGIN OF GOODS:

SIGNATURE:.....

BIDDER,NAME:.....

Schedule of Specifications , Quantities, and Prices

For :

DANIAL

Group: N **Page: 1/1**

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORS	
				Unit Price	Total Price
1	6" CLASS 600 RTJ- Daniel senior flanged orifice fitting c/w 6" flanged upstream and downstream meter runs of SA106GR.B SCH80 AGA3C.Cad plated bolting, with 1",TOL downstream, each run c/w 3-316 S.S orifice plate 2.625",2.375",2.125" Radiography: 100% Type: flanged Internal line bore material A105 natural gas	E.A	12		
2	Orifice holder size 6"	E.A	10		
3	Plate 6" bore 2.125" 316 ss	E.A	10		
4	Plate 6" bore 3.75" 316 ss	E.A	10		
5	Plate 6" bore 2" 316 ss	E.A	10		
6	Flex sealing bar gasket #9 CF	E.A	10		
7	Plate carrier for size 6" 316 SS #660DC08-92-SS	E.A	10		
8	OFFSET VALVE TYPE 1S	E.A	20		
9	LEVEL GAUGE NO.92 TM Transparent gages with straight thru connection	E.A	15		
				TOTAL	

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:

ORIGIN OF GOODS:


High pressure fitting 316 ss

Group: O


Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORS	
				Unit Price	Total Price
1	1/2x1/2 diamale connector NPT	E.A	50		
2	1/4X1/4 diamale elbow 90 deg NPT	E.A	50		
3	1/4X1/2 diamale elbow 90 deg NPT	E.A	50		
4	3/8X1/2 diamale elbow 90 deg NPT	E.A	50		
5	1/2X1/2 diamale elbow 90 deg NPT	E.A	50		
6	3/8X1/4 diamale elbow 90 deg NPT	E.A	50		
7	SC union ½" #8sc8	E.A	50		
8	RU Reducing 1/2x3/8	E.A	50		
9	Nipple high pressure 1/2" 10cm	E.A	50		
10	Nipple high high pressure (4000 psi)3/8"	E.A	50		
11	Nipple high high pressure (4000 psi)1/2"	E.A	50		
12	Nipple high pressure 3/8" 10cm	E.A	50		
13	3/4X3/4 diamale elbow 90 deg NPT	E.A	50		
14	Nipple high high pressure(4000 psi) 3/4	E.A	50		
15	Instrument pipe ¼"X.036 mode 316 ss (6 meter long)	E.A	100		
16	Instrument pipe 1/2" X.036 mode 316 ss (6 meter long)	E.A	100		

17	Instrument pipe 3/8" X.036 mode 316 ss (6 meter long)	E.A	100		
18	Instrument pipe cutter	E.A	2		

19	Instrument pipe bender 1/2 "	E.A	1		
20	Instrument pipe bender 3/8 "	E.A	1		
21	Instrument pipe bender 1/4 "	E.A	1		
22	pipe nut stanles steel high pressure (4000 psi) 1/2"	E.A	50		
23	pipe nut stanles steel high pressure (4000 psi) 3/8"	E.A	50		
24	pipe nut stanles steel high pressure (4000 psi) 1/4"	E.A	50		
25	Front ferrule stanless steel high pressure (4000 psi)1/2"	E.A	50		
26	Back ferrule stanless steel high pressure (4000 psi)1/2"	E.A	50		
27	Front ferrule stanless steel high pressure (4000 psi)3/8"	E.A	50		
28	Back ferrule stanless steel high pressure (4000 psi)3/8"	E.A	50		
29	Front ferrule stanless steel high pressure (4000 psi)1/4"	E.A	50		
30	Back ferrule stanless steel high pressure (4000 psi)1/4"	E.A	50		
31	Reducer high high pressure from 3/4 " to 1/2"	E.A	50		
32	Reducer high high pressure from 1" to 1/2"	E.A	50		
33	1/4 X 1/2" DIA MALE CONNECTOR NPT #4-8FBZ-SS"	E.A	50		
34	1/4 DIA BULK HEAD UNION NPT #M4-BU"	E.A	50		
35	3/8 DIA BULK HEAD UNION NPT #M6-BU"	E.A	50		



36	BC-BULKHEAD UNION 1/4"	E.A	50		
37	1/2 DIA BULK HEAD UNION NPT #8-8WBZ-SS"	E.A	50		
38	BC-BULKHEAD UNION 3/8	E.A	50		
39	1/4 DIA TEE NPT #M4T	E.A	50		
40	3/8 DIA TEE NPT #M6T"	E.A	50		
41	1/2 DIA UNION TEE NPT #M8T"	E.A	50		
42	1/2 X 1/2" DIA FEMALE CONNECTOR NPT #8-8GBZ-SS"	E.A	50		
43	3/8 X 1/2" DIA MALE CONNECTOR NPT # 6-8FBZ-SS"	E.A	50		
44	3/8 X 1/4" DIA MALE CONNECTOR NPT #M6C"	E.A	50		
45	DIA MALE CONNECTOR # 4 - 8FB2 - SS	E.A	50		
46	ET-UNION TEE SIZE 3/8"	E.A	50		
47	1/2 X 1/2" X 1/2" TEE"	E.A	50		
48	ET-UNION TEE SIZE 1/4"	E.A	50		
49	3/8 X 1/4" DIA ELBOW 45 deg."	E.A	50		
50	1/4 X 1/4" DIA ELBOW 45 deg."	E.A	50		
51	3/8 X 1/2" CONNECTOR TUBE"	E.A	50		
52	1/4 X 1/2" CONNECTOR TUBE"	E.A	50		
53	1/2 DIA MALE TEE NPT"	E.A	10		
54	3/8 DIA MALE TEE NPT"	E.A	50		
55	1/2 DIA MALE ELBOW 45 deg."	E.A	50		
56	1/4 TEE NPT"	E.A	50		
57	3/8 DIA FEMALE ELBOW 45 deg."	E.A	50		
58	1/4 DIA FEMALE ELBOW 45 deg."	E.A	50		
59	3/8 DIA FEMALE ELBOW 90 deg."	E.A	50		
60	1/4 DIA FEMALE ELBOW 90 deg."	E.A	50		
61	1/2 DIA CROSS #M8X"	E.A	50		
62	3/8 DIA CROSS #M6X"	E.A	50		



63	1/4 DIA CROSS #M4X"	E.A	50		
64	DIA MALE ELBOW NPT 90 DIG # 4 - 4 CB2 - SS	E.A	50		
65	1/2 X 1/2 DIA MALE ELBOW NPT 90 deg. #8-8CBZ-SS	E.A	50		
66	1/2 X 3/8" DIA MALE ELBOW NPT 90 deg. #8-6CBZ-SS"	E.A	50		
67	1/2 X 1/4" DIA MALE ELBOW NPT 90 deg. #8-4CBZ-SS"	E.A	50		
68	3/8 X 1/2" DIA MALE ELBOW NPT 90 deg. #6-8CBZ-SS"	E.A	50		
69	3/8 X 3/8" DIA MALE ELBOW NPT 90 deg. #M6-6ME"	E.A	50		
70	3/8 X 1/4" DIA MALE ELBOW NPT 90 deg.#M6ME"	E.A	50		
71	1/4 X 1/2" DIA MALE ELBOW NPT 90 deg. #4-8CBZ-SS"	E.A	50		
72	1/4 X 3/8" DIA MALE ALBOW NPT 90 deg. #4-6CBG-SS"	E.A	50		
73	1/4X 1/4" DIA MALE ELBOW NPT 90 deg. #4-4CBZ-SS"	E.A	50		
74	1/2 X 1/2" DIA FEMALE CONNECTOR NPT #8-8GBZ-SS"	E.A	50		
75	1/2 X 3/8" DIA FEMALE CONNECTOR NPT #8-6GBZ-SS"	E.A	50		
76	1/2 X 1/4" DIA FEMALE CONNECTOR NPT #M8-4FC"	E.A	50		
77	3/8 X 1/2" DIA FEMALE CONNECTOR NPT #6-8GBZ-SS"	E.A	50		
78	FBTN-NPT FEMALE TEE TUBE O.D 1/4" NPT THREAD 1/4"	E.A	50		
79	FBTN-NPT FEMALE BRANCH TEE TUBE O.D 3/8" NPT THREAD 1/4"	E.A	50		
80	FBTN-NPT FEMALE BRANCH TEE TUBE O.D 1/2" NPT THREAD 1/2"	E.A	50		

81	TUR-TUBE AND REDUCER 1/4*1/4 4TUR4	E.A	50		
82	TURE-TUBE AND REDUCER 1/4*3/8" 4TURR6	E.A	50		
83	TUR-TUBE AND REDUCER 3/8*1/4 6TUR4	E.A	50		
84	TUR-TUBE AND REDUCER 1/2"*1/4 TURE 4	E.A	50		
85	TUR-TUBE AND REDUCER 1/2"*1/4 TURE 4	E.A	50		
86	BLP-PLUG TUBE OD 1/4"UN-THTEAD 7/16 20 UNF	E.A	50		
87	BLP-PLUG TUBE OD 3/8" UN-THTEAD 9/16 20 UNF	E.A	50		
88	BLD-PLUG TUBE OD 1/2 UN-THTEAD 3/4"-20	E.A	50		
89	BLEN-CAP SIZE 1/4"	E.A	50		
90	BLEN CAP SIZE 3/8"	E.A	50		
91	BLEN CAP SIZE 1/2"	E.A	50		
92	SC-UN/ON 1/4"	E.A	50		
93	SC-UNION 3/8"	E.A	50		
94	SC-UNION 1/2 # 8SC8	E.A	50		
95	RU-REDUCING SIZE 3/8" * 1/4"	E.A	50		
96	RU-REDUCING SIZE 1/2" * 1/4"	E.A	50		
97	RU-REDUCING SIZE 1/2" * 3/8"	E.A	50		
98	MSCN-NPT MALE COUNCTON TUBE OD 1/4 NPT THREAD 1/8	E.A	50		
99	MSCN-NPT MALE COUNCTON TUPE OD 3/8 NPT THREAD 1/8	E.A	50		
100	MSCN-NPT MALE COUNCTON TUBE OD 1/2 NPT THREAD 1/8	E.A	50		
101	MSCN-NPT MALE COUNCTON TUBE OD 1/2" THREAD 3/4"	E.A	50		
102	MSCN-NPT MALE COUNCTON TUBE OD 1/2 NPT THREAD 1	E.A	50		
103	FRTN-NPT FEMALE RUN TEE TUBE OD 1/4" NPT THREAD 1/8"	E.A	50		



104	FRTN -NPT FEMALE RUN TEE TUBE OD 1/4 NPT THRAD 1/4"	E.A	50		
105	FRTN-NPT FEMALE RUN TEE TUBE OD 3/8" NPT THREAD 1/4"	E.A	50		
406	FRTN-NPT FEMALE RUN TEE TUBE OD 1/2" NPT THREAD 1/2"	E.A	50		
107	TEE FEMALE NPT # 4FBT4N	E.A	50		
108	CON FEMALE # 4FSCN	E.A	50		
109	1/4" DIA BULK HEAD UNION # 4BC4	E.A	50		
110	1/4" X 1/2" DIA MALE CONNECTOR 4MSC8N	E.A	50		
111	1/4" X 3/8 DIA MALE CONNECTOR # 4MSC6N	E.A	50		
112	3/8 X 1/2" DIA MALE CONNECTOR # 6MSC8N	E.A	50		
113	1/2" X 1/4" DIA MALE CONNECTOR # 8MSC4N	E.A	50		
114	3/8 X 1/2 DIA FEMALE CONNCTOR #6FSC8N	E.A	50		
115	1/2" x 1/4" FEMALE CONNECTOR # 8FSC4N	E.A	50		
116	1/2" X 1/2" DIA FEMALE CONNECTOR # 8FSC8N	E.A	50		
TOTAL					

CURRENCY:

DELIVERY PERIOD:

METHOD OF PAYMENT:

ORIGIN OF GOODS:

SIGNATURE:.....

BIDDER,NAME:.....

TENDER NO.( )

Schedule of Specifications , Quantities, and Prices

Spare parts For :


NORRISEAL

GROUP: P

Item No.	Description	U. I	QTY	W/o Customs & Taxes Risha Stores	
				Unit Price	Total Price
1	Norriseal control valve series 2200 2-2200-RF-07TGA-9HA body size 2", flange connection	E.A	10		
2	Norriseal control valve series 2700 4-2700A-RF-07TGS-12NX body size 4", flange connection	E.A	5		

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
BIDDER,NAME:.....







Pneumatic and hydrolic valve

Agh-bettis company

Group: Q **Page: 1/1**

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORE	
				Unit Price	Total Price
1	Complete Pneumatic Emergency shutdown valve 3" operating&hydrolic pressure actuator ,AGH-BETTIS company Actuator : Model G01009SR4M11 Morm. Operating pressure: 85psi Max. operating pressure: 195 psi Max. shell test pre. .250 Robot ArmII Bettis VALVE: Type: TK OR EQUIVELENT 6D-002 1/20 THED SIZE 3X3 S/N T0196 BODY: LCC API 1500 3600 MOP Stem: 17-4	E.A	10		
				TOTAL	

CURRENCY:

DELIVERY PERIOD:

METHOD OF PAYMENT:

ORIGIN OF GOOD:

Piging Equipments

Group: R **Page: 1/1**

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORE	
				Unit Price	Total Price
1	Pig Passage Indicators Intrusive Type MODEL NBR: 57000000 Serial nbr: F-10700 2" NPT thread-o-let Includes Visual flag indicator with manual reset Manufacturer: TDW or Apatche or equivalent	E.A	10		
2	Threaded Closure size 12" for pipe 10" rating pressure 450 psi	E.A	2		
3	Threaded Closure size 10" for pipe 8" rating pressure 450 psi	E.A	4		
				TOTAL	

CURRENCY:

DELIVERY PERIOD:

METHOD OF PAYMENT:

ORIGIN OF GOODS:

SIGNATURE:..... BIDDER,NAME:.....

WATER FLOW METER

Group: S **Page: 1/1**

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORE	
				Unit Price	Total Price
1	Magnetic flow meter to measure the water associated with natural gas: Flanged connection class 600 Liner: PFA or PTFE Size: 2” With lithium battery Electrodes: Titanium or Hastelloy C	E.A	10		
				TOTAL	

CURRENCY:

DELIVERY PERIOD:

METHOD OF PAYMENT:

ORIGIN OF GOODS:

SIGNATURE:..... BIDDER,NAME:.....