

Schedule of Specifications , Quantities, and Prices

**For :
ITT Barton**

Group: A

Page: 1/1

Item NO.	Description	U.I	QTY	W/o Customs & Taxes Risha stores		
				Unit Price	Total Price	
1	Complete ITT Barton model 202E 3pen recorder with following spec.: <ul style="list-style-type: none"> • 0-100" water column • 0-3200 psig bourdon tube. • 0-150 F temperature element c/w10 feet capillary. • 12" chart programmable batterychartdrive • Slide on disposable pens. • 20 box of charts • 5 way manifold-century model CM5. • 2" saddle mount 	E.A	2			
TOTAL						

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
 BIDDER,NAME:.....



[Handwritten signature]

[Handwritten signature]

Schedule of Specifications , Quantities, and Prices

**For :
Fisher Equipments**

Group: B

Page: 1/2

Item NO.	Description	U.I	QTY	W/o Customs & Taxes CFA RISHA STORS	
				Unit Price	Total Price
1	Fisher regulator type 67 CFR Max. supply:250 psi Spring range 0-35 psi	E.A	10		
2	Repair kit for fisher type 67 AFR # R67AFRX0012	Kit	6		
3	High pressure regulator fisher type 1301F Max. inlet 6000 psi Max out let 75 psi	E.A	5		
4	Liquid level control type:L2 Max supply pressure: 50 psi Max.sensor cold working :3750 ASME CL1500 for 2" NPT STYL connection Type: FSL2-XB	E.A	3		
5	Comp. panel mounting loading Type: 670 GV S/N: 1433604 2 gauge panel with change over valve	E.A	5		

TOTAL	
--------------	--

CURRENCY: DELIVERY PERIOD: METHOD OF PAYMENT: ORIGIN OF GOODS:

SIGNATURE:.....
 BIDDER,NAME:.....





Schedule of Specifications , Quantities, and Prices

**For :
PRESURE GAUGE**

Group: C


Page: 1/1

Item NO.	Description	U.I	QTY	W/o Customs & Taxes CPT AMMAN	
				Unit Price	Total Price
1	Pressure gauge range: 0-1000 psi 1/2" bottom connection, 6" face wika or Ashcroft	E.A	10		
2	Pressure gauge range: 0-5000 psi 1/2" bottom connection, 6" face wika or Ashcroft	E.A	10		
3	Pressure gauge range: 0-75 psi 1 1/4 " face 3/8" connection back mounted	E.A	10		
TOTAL					

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
BIDDER,NAME:.....





Schedule of Specifications , Quantities, and Prices

For :

FOXBORO Model: 43APFA46D

Group: D

Page: 1/1


Item NO.	Description	U.I	QTY	W/o Customs & Taxes CPT AMMAN	
				Unit Price	Total Price
1	Complete Foxboro Pneumatic indicating controller 43AP-FA46N Range: 0-1300 psi 316 ss Bourdon Tube 3-15 psi output With 67 AFR Regulator	E.A	5		
2	Filter regulator fixed pressure #B123HD	E.A	2		
3	Relay manifold Ass. # C0140GN	E.A	2		
4	Connection ass #Do124QF	E.A	2		
5	Control unit # C0136HV	E.A	4		
TOTAL					

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....

BIDDER,NAME:.....





Schedule of Specifications , Quantities, and Prices

**For :
SAFETY VALVE
EMERSON COMPANY**

Group: E

Page: 1/1

Item NO.	Description	U.I	QTY	W/o Customs & Taxes CPT AMMAN	
				Unit Price	Total Price
1	Pressure safety valve Model No.:84314J23/S1/N SN:1101-2110-942753 Capacity: 40081 SCFM AIR@60 F set pressure: 1440 psig Anderson greenwood	E.A	2		
TOTAL					

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
BIDDER,NAME:.....





Schedule of Specifications , Quantities, and Prices

**For :
CENTURY VALVE**

Group: F

Page: 1/1

Item NO.	Description	U.I	QTY	W/o Customs & Taxes CPT AMMAN	
				Unit Price	Total Price
1	CM5-1-F-44-CD-T	E.A	10		
2	CM2-1-M44T-BA	E.A	10		
3	CM26R-1M64T-A-T	E.A	10		
4	CM2-1-F22T-BV	E.A	10		
TOTAL					

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
BIDDER,NAME:.....



Schedule of Specifications , Quantities, and Prices

For :

DANIAL SENIOR ORIFICE

Group: G


Page: 1/1

Item NO.	Description	U.I	QTY	W/o Customs & Taxes CPT AMMAN	
				Unit Price	Total Price
1	6" CLASS 600 RTJ- Daniel senior flanged orifice fitting c/w 6" flanged upstream and downstream meter runs of SA106GR.B SCH80 AGA3C.Cad plated bolting, with 1",TOL downstream, each run c/w 3-316 S.S orifice plate 2.625",2.375",2.125" Radiography: 100% Type: flanged Internal line bore material A105 natural gas	E.A	1		
2	Orifice holder size 6"	E.A	4		
3	Plate 6" bore 2.125" 316 ss	E.A	2		
4	Plate 6" bore 3.75" 316 ss	E.A	2		
5	Plate 6" bore 2" 316 ss	E.A	2		
6	Flex sealing bar gasket #9 CF	E.A	5		
7	Plate carrier for size 6" 316 SS #660DC08-92-SS	E.A	2		
TOTAL					

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
 BIDDER,NAME:.....





Schedule of Specifications , Quantities, and Prices

For :

High pressure fitting 316 ss

Group: H

Page: 1/1

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORS	
				Unit Price	Total Price
1	1/2x1/2 diamale connector NPT	E.A	30		
2	1/4X1/4 diamale elbow 90 deg NPT	E.A	20		
3	1/4X1/2 diamale elbow 90 deg NPT	E.A	20		
4	3/8X1/2 diamale elbow 90 deg NPT	E.A	20		
5	1/2X1/2 diamale elbow 90 deg NPT	E.A	20		
6	3/8X1/4 diamale elbow 90 deg NPT	E.A	20		
7	SC union 1/2" #8sc8	E.A	10		
8	RU Reducing 1/2x3/8	E.A	10		
9	Nipple high pressure 1/2" 10cm	E.A	10		
10	Nipple high high pressure (4000 psi)3/8"	E.A	10		
11	Nipple high high pressure (4000 psi)1/2"	E.A	10		
12	Nipple high pressure 3/8" 10cm	E.A	10		
13	3/4X3/4 diamale elbow 90 deg NPT	E.A	20		
14	Nipple high high pressure(4000 psi) 3/4	E.A	10		
15	Instrument pipe 1/4"X.036 mode 316 ss (6 meter long)	E.A	20		
16	Instrument pipe 1/2" X.036 mode 316 ss (6 meter long)	E.A	20		
17	Instrument pipe 3/8" X.036 mode 316 ss (6 meter long)	E.A	20		




18	Instrument pipe cutter	E.A	2		
19	Instrument pipe bender 1/2 "	E.A	1		
20	Instrument pipe bender 3/8 "	E.A	1		
21	Instrument pipe bender 1/4 "	E.A	1		
22	pipe nut stanles steel high pressure (4000 psi) 1/2"	E.A	20		
23	pipe nut stanles steel high pressure (4000 psi) 3/8"	E.A	20		
24	pipe nut stanles steel high pressure (4000 psi) 1/4"	E.A	20		
25	Front ferrule stanless steel high pressure (4000 psi)1/2"	E.A	30		
26	Back ferrule stanless steel high pressure (4000 psi)1/2"	E.A	30		
27	Front ferrule stanless steel high pressure (4000 psi)3/8"	E.A	30		
28	Back ferrule stanless steel high pressure (4000 psi)3/8"	E.A	30		
29	Front ferrule stanless steel high pressure (4000 psi)1/4"	E.A	30		
30	Back ferrule stanless steel high pressure (4000 psi)1/4"	E.A	30		
31	Reducer high high pressure from 3/4 " to 1/2"	E.A	10		
32	Reducer high high pressure from 1" to 1/2"	E.A	5		
33	1/4 X 1/2" DIA MALE CONNECTOR NPT #4-8FBZ-SS"	E.A	10		
34	1/4 DIA BULK HEAD UNION NPT #M4-BU"	E.A	10		
35	3/8 DIA BULK HEAD UNION NPT #M6-BU"	E.A	10		
36	BC-BULKHEAD UNION 1/4"	E.A	10		
37	1/2 DIA BULK HEAD UNION NPT #8-8WBZ-SS"	E.A	10		
38	BC-BULKHEAD UNION 3/8	E.A	10		
39	1/4 DIA TEE NPT #M4T	E.A	10		
40	3/8 DIA TEE NPT #M6T"	E.A	10		
41	1/2 DIA UNION TEE NPT #M8T"	E.A	10		
42	1/2 X 1/2" DIA FEMALE CONNECTOR NPT #8-8GBZ-SS"	E.A	10		
43	3/8 X 1/2" DIA MALE CONNECTOR NPT # 6-8FBZ-SS"	E.A	10		

[Handwritten signature]




[Handwritten signature]

44	3/8 X 1/4" DIA MALE CONNECTOR NPT #M6C"	E.A	10		
45	DIA MALE CONNECTOR # 4 - 8FB2 - SS	E.A	10		
46	ET-UNION TEE SIZE 3/8"	E.A	10		
47	1/2 X 1/2" X 1/2" TEE"	E.A	10		
48	ET-UNION TEE SIZE 1/4"	E.A	10		
49	3/8 X 1/4" DIA ELBOW 45 deg."	E.A	10		
50	1/4 X 1/4" DIA ELBOW 45 deg."	E.A	10		
51	3/8 X 1/2" CONNECTOR TUBE"	E.A	10		
52	1/4 X 1/2" CONNECTOR TUBE"	E.A	10		
53	1/2 DIA MALE TEE NPT"	E.A	10		
54	3/8 DIA MALE TEE NPT"	E.A	10		
55	1/2 DIA MALE ELBOW 45 deg."	E.A	10		
56	1/4 TEE NPT"	E.A	10		
57	3/8 DIA FEMALE ELBOW 45 deg."	E.A	10		
58	1/4 DIA FEMALE ELBOW 45 deg."	E.A	10		
59	3/8 DIA FEMALE ELBOW 90 deg."	E.A	10		
60	1/4 DIA FEMALE ELBOW 90 deg."	E.A	10		
61	1/2 DIA CROSS #M8X"	E.A	10		
62	3/8 DIA CROSS #M6X"	E.A	10		
63	1/4 DIA CROSS #M4X"	E.A	10		
64	DIA MALE ELBOW NPT 90 DIG # 4 - 4 CB2 - SS	E.A	10		
65	1/2 X 1/2 DIA MALE ELBOW NPT 90 deg. #8-8CBZ-SS	E.A	10		
66	1/2 X 3/8" DIA MALE ELBOW NPT 90 deg. #8-6CBZ-SS"	E.A	10		
67	1/2 X 1/4" DIA MALE ELBOW NPT 90 deg. #8-4CBZ-SS"	E.A	10		
68	3/8 X 1/2" DIA MALE ELBOW NPT 90 deg. #6-8CBZ-SS"	E.A	10		
69	3/8 X 3/8" DIA MALE ELBOW NPT 90 deg. #M6-6ME"	E.A	10		
70	3/8 X 1/4" DIA MALE ELBOW NPT 90 deg.#M6ME"	E.A	10		
71	1/4 X 1/2" DIA MALE ELBOW NPT 90 deg. #4-8CBZ-SS"	E.A	10		
72	1/4 X 3/8" DIA MALE ALBOW NPT 90 deg. #4-6CBG-SS"	E.A	10		
73	1/4X 1/4" DIA MALE ELBOW NPT 90 deg. #4-4CBZ-SS"	E.A	10		
74	1/2 X 1/2" DIA FEMALE CONNECTOR NPT #8-8GBZ-SS"	E.A	10		







75	1/2 X 3/8" DIA FEMALE CONNECTOR NPT #8-6GBZ-SS"	E.A	10		
76	1/2 X 1/4" DIA FEMALE CONNECTOR NPT #M8-4FC"	E.A	10		
77	3/8 X 1/2" DIA FEMALE CONNECTOR NPT #6-8GBZ-SS"	E.A	10		
78	FBTN-NPT FEMALE TEE TUBE O.D 1/4" NPT THREAD 1/4"	E.A	10		
79	FBTN-NPT FEMALE BRANCH TEE TUBE O.D 3/8" NPT THREAD 1/4"	E.A	10		
80	FBTN-NPT FEMALE BRANCH TEE TUBE O.D 1/2" NPT THREAD 1/2"	E.A	10		
81	TUR-TUBE AND REDUCER 1/4*1/4 4TUR4	E.A	10		
82	TURE-TUBE AND REDUCER 1/4*3/8" 4TURR6	E.A	10		
83	TUR-TUBE AND REDUCER 3/8*1/4 6TUR4	E.A	10		
84	TUR-TUBE AND REDUCER 1/2"*1/4 TURE 4	E.A	10		
85	TUR-TUBE AND REDUCER 1/2"*1/4 TURE 4	E.A	10		
86	BLP-PLUG TUBE OD 1/4"UN-THTEAD 7/16 20 UNF	E.A	10		
87	BLP-PLUG TUBE OD 3/8" UN-THTEAD 9/16 20 UNF	E.A	10		
88	BLD-PLUG TUBE OD 1/2 UN-THTEAD 3/4"-20	E.A	10		
89	BLEN-CAP SIZE 1/4"	E.A	10		
90	BLEN CAP SIZE 3/8"	E.A	10		
91	BLEN CAP SIZE 1/2"	E.A	10		
92	SC-UN/ON 1/4"	E.A	10		
93	SC-UNION 3/8"	E.A	10		
94	SC-UNION 1/2 # 8SC8	E.A	10		
95	RU-REDUCING SIZE 3/8" * 1/4"	E.A	10		
96	RU-REDUCING SIZE 1/2" * 1/4"	E.A	10		
97	RU-REDUCING SIZE 1/2" * 3/8"	E.A	10		
98	MSCN-NPT MALE COUNCTON TUBE OD 1/4 NPT THREAD 1/8	E.A	10		
99	MSCN-NPT MALE COUNCTON TUPE OD 3/8 NPT THREAD 1/8	E.A	10		
100	MSCN-NPT MALE COUNCTON TUBE OD 1/2 NPT THREAD 1/8	E.A	10		



101	MSCN-NPT MALE COUNCTON TUBE OD 1/2" THREAD 3/4"	E.A	10		
102	MSCN-NPT MALE COUNCTON TUBE OD 1/2 NPT THREAD 1	E.A	10		
103	FRTN-NPT FEMALE RUN TEE TUBE OD 1/4" NPT THREAD 1/8"	E.A	10		
104	FRTN -NPT FEMALE RUN TEE TUBE OD 1/4 NPT THRAD 1/4"	E.A	10		
105	FRTN-NPT FEMALE RUN TEE TUBE OD 3/8" NPT THREAD 1/4"	E.A	10		
406	FRTN-NPT FEMALE RUN TEE TUBE OD 1/2" NPT THREAD 1/2"	E.A	10		
107	TEE FEMALE NPT # 4FBT4N	E.A	10		
108	CON FEMALE # 4FSCN	E.A	10		
109	1/4" DIA BULK HEAD UNION # 4BC4	E.A	10		
110	1/4" X 1/2" DIA MALE CONNECTOR 4MSC8N	E.A	10		
111	1/4" X 3/8 DIA MALE CONNECTOR # 4MSC6N	E.A	10		
112	3/8 X 1/2" DIA MALE CONNECTOR # 6MSC8N	E.A	10		
113	1/2" X 1/4" DIA MALE CONNECTOR # 8MSC4N	E.A	10		
114	3/8 X 1/2 DIA FEMALE CONNCTOR #6FSC8N	E.A	10		
115	1/2" x 1/4" FEMALE CONNECTOR # 8FSC4N	E.A	10		
116	1/2" X 1/2" DIA FEMALE CONNECTOR # 8FSC8N	E.A	10		
TOTAL					

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
BIDDER,NAME:.....



Schedule of Specifications , Quantities, and Prices

For :

NORRISEAL CONTROL VALAVE

Group: I

Page: 1/1

Item NO.	Description	U.I	QTY	W/o Customs & Taxes CPT AMMAN	
				Unit Price	Total Price
1	Norriseal control valve series 2200 2XX-2-2200-RF-07-T-G-A-12-WM- 1.00-BP-316 body size 2", flange connection	E.A	2		
TOTAL					

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
 BIDDER,NAME:.....



TENDER NO.()
Schedule of Specifications , Quantities, and Prices
Spare parts For :
High pressure Carbon steel plug
3000psi


GROUP: J


PAGE:1/1

Item No.	Description	Part No.	U. I	QTY	W/o Customs & Taxes CPT Risha Stores	
					Unit Price	Total Price
1	NPT HEX Plug size 3/4"		E.A	20		
2	NPT HEX Plug size 1/4"		E.A	20		
3	NPT HEX Plug size 1/2"		E.A	20		
4	NPT HEX Plug size 2"		E.A	20		
TOTAL						

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....
 BIDDER,NAME:.....





Schedule of Specifications , Quantities, and Prices

For :

HOSES & ACCESSORIES

Group: K

Page: 1/1

Item NO.	Description	U.I	QTY	W/o Customs & Taxes RISHA STORS	
				Unit Price	Total Price
1	RUBBER HOSE 2" x 25ft LONG 5000 PSI WP FIG.1502 MxF HUMMAR UNION CONNECTION	EA	8		
2	2" HUMMER UNION CROSSOVER FEMALE X FEMALE FIG 1502	EA	4		
3	2" HUMMER UNION CROSSOVER MALE X MALE 2" FIG 1502	EA	4		
4	CIRCULATION HEAD 2 7/8" EUE PIN CONNECTION X 2" HUMMER UNION FIG 1502 MALE	EA	4		
TOTAL					

CURRENCY:
DELIVERY PERIOD:
METHOD OF PAYMENT:
ORIGIN OF GOODS:

SIGNATURE:.....

BIDDER,NAME:.....